Log cabins

Customised and bespoke!

Arrange your garden entirely new with our traditionally manufactured models in log construction.
Regardless of whether you want to create a new living oasis or just conveniently store your gardening tools.
With a BHB summer house you may also combine both. We like to give inspirations and help in implementing your ideas.

All models are characterised by a very high quality of manufacturing. This precise machine production proves advantageous for an extremely simple assembly. Ranging from the classical summer house over leisure and 5 corner buildings to garages and carports, we manufacture everything individually according to your requirements from selected timber. Nevertheless, you may also simply choose a model from this catalogue.

The following pages show some of the numerous possibilities how our models fit into various situations.

Features of our Log cabins

- 28 mm and 33 mm wall thickness
- tongue and grooved windlock system creates a good barrier against the elements
- impregnated base beams
- easy assembly and high stability
- purlins 80 x 160 mm starting from a minimum wall thickness of 33 mm
- 19 mm shield planks to protect the purlin heads at the gable side
- impregnated floor joists 60 x 80 mm from a minimum wall thickness of 33 mm
- 19 mm tongue and grooved boards for the roof
- 19 mm tongue and grooved boards for the floor at wall thicknesses 19-33 mm
- single door (88 x 186 cm) or double door (150 x 186 cm) are made from laminated wood (panelled on both sides) provided with cylinderlock
- single window (88 x 88 cm) or double window (140 x 88 cm) with turn cant mechanism
- roofing with felt shingles recommended

Extra at a minimum wall thickness of 45 mm

- special profiles with double conical tongue and groove for a higher stability
- floor boards 22 mm, floor joists 60/80 mm and purlins 80/160 mm or more
- windows are made of 68 mm laminated wood and are provided with double glazing and weather strips.
- windows are provided with branded German turn cant mechanisms
- double door (160 x 186 cm), made of laminated wood (panelled on both sides), povided with double glazing and cylinder lock

General specifications

- All houses can be manufatured with saddle, hipped, mono-pitch, double-pitch and flat roof.
- Outward-opening window on the fixed wing available upon request at extra charge
- Facing optionally curved or straight (Please specify when ordering)
- Roofing recommended with roof felt and bitumen shingles (accessories)
- Optional prime coating with BHB wood oil nature (colour selection see accessories Colour)

Our value models are houses which only permit minor modifications

Possible wall thicknesses:



28 mm | 33 mm | 45 mm | 58 mm | 70 mm | 94 mm | 112 mm

Different Roof variations:

apex roof

pent roof / dual pent roof

flat roof

hipped roof

Possible options:

lean to at the right or left

canopy open / closed

window with or without shutters

oiled with BHB nature oil

solid lean to at the right / left / back

flowerbox

shingles

terrace

All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Bergen

- wall thickness: 28 mm
- wand outside dimension: 200 x 200 cm (W/D)
- roof overhang: F/L/R = 30 cm, B = 20 cm
- sidewall height: 198 cm
- ridge height: 225 cm
- roof area: 7,00 m²
- slope 15 degrees
- single door 88 x 186 cm half glazed
- wall area: 18 m², cubic contents: 8,4 m³

You require 3 shingle packages
For a building with a width under 250 cm single door option only (window optional)



Goteborg

- wall thickness: 28 mm
- wand outside dimension: 250 x 200 cm (W/D)
- roof overhang: F = 50 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 198 cm
- ridge height: 232 cm
- roof area: 9,00 m², slope 15 degrees
- double door: 150 x 186 cm half glazed
- wall area: 20 m², cubic contents: 10,7 m³

You require 4 shingle packages



Oslo

- wall thickness: 28 mm
- wand outside dimension: 250 x 250 cm (W/D)
- roof overhang: F = 70 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 198 cm
- ridge height: 232 cm
- roof area: 11,00 m², slope 15 degrees
- door: 88 x 186 cm half glazed
- window: 75 x 88 cm turn cant
- wall area: 22,3 m², cubic contents: 13,3 m³

You require 5 shingle packages



Oslo with DT

- wall thickness: 28 mm
- wand outside dimension: 250 x 250 cm (W/D)
- roof overhang: F = 70 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 198 cm
- ridge height: 232 cm
- roof area: 11,00 m², slope 15 degrees
- double door: 150 x 186 cm half glazed
- wall area: 22,3 m², cubic contents: 13,3 m³

You require 5 shingle packages



Our buildings are custom made, individual and good value!

Oslo with SD

- wall thickness: 28 mm
- wand outside dimension: 250 x 250 cm (W/D)
- roof overhang: F = 70 cm, B = 20 cm, L /R = 30 cm
- sidewall height: 198 cm
- ridge height: 232 cm
- roof area: 14,00 m², slope 15 degrees
- double door: 150 x 186 cm half glazed
- side roof: 130 cm
- wall area: 22,3 m², cubic contents: 18 m³

You require 6 shingle packages



Stockholm

- wall thickness: 28 mm
- wand outside dimension: 300 x 250 cm (W/D)
- roof overhang: F = 70 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 198 cm, ridge height: 238 cm
- roof area: 13,00 m² , slope 15 degrees
- door: 88 x 186 cm half glazed
- window: 75 x 88 cm turn cant
- flowerbox (optional)
- wall area: 24,8 m², cubic contents: 16,3 m³

You require 5 shingle packages



Malmo with SD

- wall thickness 28 mm
- wand outside dimension: 300 x 300 cm (W/D)
- roof overhang: F = 70 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 198 cm , ridge height: 238 cm
- roof area: 19,00 m², slope 15 degrees
- door: 88 x 186 cm half glazed
- window: 75 x 88 cm turn cant
- side roof: 130 cm, shutters (optional)
- wall area: 26,7 m², cubic contents: 25 m³

You require 8 shingle packages



Rugersberg

- wall thickness: 33/45mm
- wand outside dimension: 380 x 380 cm (W/D)
- roof overhang: F = 135 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 204 cm, ridge height: 265 cm
- roof area: 25 m², slope 18 degrees
- door/window bei WS 33 mm: 150 x 186 / 88 x 88 cm
- door/window bei WS 45 mm: 160 x 186 / 88 x 88 cm (door/window with double glazing)
- wall area: 35,8 m², cubic contents: 33,6 m³

You require 10 shingle packages



All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Montrose 250 x 200 + 80 VD + 70 SD

- wall thickness: 28 mm
- wand outside dimension: 250 x 200 cm (W/D)
- roof overhang:
  F = 80 cm, B = 10 cm, L = 70 cm, R = 30 cm
- sidewall height: 198 cm
- ridge height: 231 cm
- roof area: 11,00 m², slope 15 degrees
- door: 88 x 186 cm half glazed
- wall area: 20,4 m², cubic contents: 12,6 m³

You require 5 shingle packages



Eskdale 250 x 200 + 50 VD + 60 SD

- wall thickness: 28 mm
- wand outside dimension: 250 x 200 cm (W/D)
- roof overhang: F = 50 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 198 cm
- ridge height: 231 cm
- roof area: 10,00 m², slope 15 degrees
- door: 88 x 186 cm triangle glazed
- wall area: 20,3 m²
- cubic contents: 12,9 m³

You require 4 shingle packages



Lanark 300 x 300 + 50 VD

- wall thickness: 28 mm
- wand outside dimension: 300 x 300 cm (W/D)
- roof overhang:
  F = 50 cm, B = 20 cm, R = 30 cm, L = 50 cm
- sidewall height: 198 cm, ridge height: 238 cm
- roof area: 15,00 m², slope 15 degrees
- double door: 150 x 186 cm half glazed
- wall area: 26,6 m²
- cubic contents: 19,5 m³

You require 6 shingle packages



Portland5 240 x 200 + 60 AN + 100 SD

- wall thickness: 28 mm
- wand outside dimension: 240 x 200 cm (W/D)
- roof overhang: all around = 25 cm
- wall height f: 220 cm, wall height b: 231 cm
- roof area: 11,00 m², slope 3 degrees
- double door: 150 x 186 cm obscure glazed
- extension on the right 60 x 140 cm
  with double door 100 x 186 cm solid
- side roof on the left 100 cm, foundation anchors (optional)
- wall area: 24,5 m², cubic contents: 17,6 m³

Roofing optional with BHB EPDM foil
or by the customer with weld or sheet metal.



Our buildings are custom made, individual and good value!

Ashford 250 x 200

- wall thickness: 28 mm
- wand outside dimension: 250 x 200 cm (W/D)
- roof overhang: F = 50 cm, L/R/B = 30 cm
- wall height f: 217 cm, wall height b: 203,5 cm
- roof area: 9,00 m², slope 4 degrees
- double door: 150 x 197 cm (8x frosted glass insert)
- window: 100 x 40 cm turn
- wall area: 20,3 m², cubic contents: 10,5 m³

You require 4 shingle packages



Terni 700 x 300 incl. SD and VD

- wall thickness: 33 mm
- wand outside dimension: 700 x 300 cm (W/D)
- roof overhang: all around = 40 cm
- sidewall height: 231 cm, ridge height: 310 cm
- roof area: 33,00 m², slope 25 degrees
- door: 98 x 200 cm half glazed, window: 2x 88 x 88 cm
- extension: 100 x 300 cm, veranda: 300 x 300 cm
- foundation anchors (optional)
- wall area: 62,5 m², cubic contents: 59,5 m³

You require 15 shingle packages



Graz 380 x 380 + 120 VD

- wall thickness: 33 mm
- wall outside dimension: 380 x 380 cm (W/D)
- roof overhang:
  F = 120 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 204 cm, ridge height: 265 cm
- roof area: 24,00 m², slope 18 degrees
- double door: 150 x 186 cm half glazed
- window: 88 x 88 cm turn cant
- wall area: 35,5 m², cubic contents: 33,6 m³

You require 10 shingle packages



Linz 250 x 250 + 70 VD

- wall thickness: 33 mm
- wand outside dimension: 250 x 250 cm (W/D)
- roof overhang:
  F = 70 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 204 cm, ridge height: 245 cm
- roof area: 11,00 m², slope 18 degrees
- double door: 150 x 186 cm half glazed
- bottom hinged window in a door wing (optional)
- wall area: 23,2 m², cubic contents: 14,0 m³

You require 5 shingle packages



All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Mississippi 450 x 450 + 200 VT

- wall thickness: 45 mm
- wand outside dimension: 450 x 450 cm (W/D)
- roof overhang: F = 220 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 218 cm , ridge height: 290 cm
- roof area: 38,00 m², slope 18 degrees
- segmental-arch door: 160 x 196 cm 3/4 glazed
- segmental-arch window: 2x 140 x 102 cm turn/turn cant
- porch: 450 x 200 cm, shutters (optional)
- upper finish (cover) of balustrade (optional)
- wall area: 48,4 m², cubic contents: 73,5 m³

You require 15 shingle packages
(clay tile roofing supplied by the customer!)



Our buildings are custom made, individual and good value!



Grampian 320 x 545 + 130 SD

- wall thickness: 45 mm, wand outside dimension: 320 x 545 cm (W/D)
- roof overhang: F = 50 cm, B = 20 cm, L = 30 cm, R = 130 cm
- wall height f: 231 cm, wall height b: 204 cm
- roof area: 27,5 m², slope 5 degrees
- door: 98 x 200 cm half glazed
- window: 2x 88 x 88 cm
- side roof: 130 cm
- wall area: 41,7 m²
- cubic contents: 45,6 m³

You require 11 shingle packages



Tain 330 x 400 + 135 VD + 240 SD

- wall thickness: 45 mm, wand outside dimension: 330 x 400 cm (W/D)
- roof overhang: F = 135 cm, B = 20 cm, R/L = 30 cm
- sidewall height: 244 cm, ridge height: 288 cm
- roof area: 34,00 m², slope 15 degrees
- single door: 88 x 200 cm 3/4 glazed
- window: 88 x 88 cm turn cant, 140 x 88 cm turn/turn cant
- shutters (optional)
- side roof on the left: 240 cm
- wall area: 40 m², cubic contents: 52,8 m³

You require 14 shingle packages

All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Alba 400 x 500 + 80 VD + 90 SD

- wall thickness: 45 mm, wand outside dimension: 400 x 500 cm (W/D)
- roof overhang: F = 80 cm, B = 35 cm L= 90 cm R = 30 cm
- sidewall height: 231 cm
- ridge height: 318 cm
- roof area: 35,00 m², slope 24 degrees
- door: 2x 88 x 186 cm
- window: 50 x 50 cm turn cant, 60 x 60 cm turn cant, 4x 88 x 88 cm turn cant
- shutters (optional)
- wall area: 46,0 m², cubic contents: 62,1 m³

You require 14 shingle packages



Atlanta 380 x 300 + VD + SD

- wall thickness: 45 mm
- wand outside dimension: 380 x 300 cm (W/D)
- roof overhang: F = 220 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 218 cm, ridge height: 279 cm
- roof area: 34,00 m², slope 18 degrees
- double door: 160 x 186 cm 3/4 glazed
- window: 2x 88 x 88 cm turn cant
- side roof: 150 cm, shutters (optional)
- wall area: 35,5 m², cubic contents: 47 m³

You require 13 shingle packages





Florida 400 x 400 incl. integrated porch

- wall thickness: 45 mm
- wand outside dimension: 400 x 400 cm (W/D)
- roof overhang: F = 70 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 218 cm, ridge height: 282 cm
- roof area: 24,00 m², slope 18 degrees
- door: 1x 88 x 186 cm 3/4 glazed
  1x 88 x 186 cm solid
- window: 2x 88 x 88 cm turn cant
- extension: 115 x 250 cm (W/D)
- wall area: 42,2 m², cubic contents: 45,2 m³

You require 10 shingle packages



Our buildings are custom made, individual and good value!

All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

In conformity with nature

Our buildings are custom made, individual and good value!

Rotterdam2 400 x 400

- wall thickness: 45 mm
- wall outside dimension: 400 x 400 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 218 cm, ridge height: 320 cm
- roof area: 24,00 m², slope 11/20 degrees
- double door: 160 x 186 cm triangle glazed
- double glazed window: 2x 100 x 40 cm turn
- double glazed window: 88 x 88 turn cant
- wall area: 42,8 m², cubic contents: 40,4 m³

You require 10 shingle packages



Utrecht 350 x 400

- wall thickness: 45 mm
- wand outside dimension: 350 x 400 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 218 cm, ridge height: 325 cm
- roof area: 22,00 m², slope 13/22 degrees
- double door: 160 x 186 cm obscure glazed
- double glazed window: 88 x 88 cm turn cant, 2x 100 x 40 cm solid
- wall area: 40,2 m², cubic contents: 35,4 m³

You require 9 shingle packages



Amsterdam 520 x 450 incl. extension

- wall thickness: 45 mm
- wand outside dimension: 520 x 450 cm (W/D)
- roof overhang: all around = 20 cm
- sidewall height: 218 cm, ridge height: 330 cm
- roof area: 30,00 m², slope 13/18 degrees
- double door: 160 x 186 cm 3/4 glazed
- double glazed window: 88 x 88 cm turn cant, 60 x 60 cm turn cant, 2x 100 x 40 cm turn
- back extension 150 x 450 cm (W/D), with door 88 x 186 half glazed
- wall area: 52 m², cubic contents: 60,8 m³

You require 13 shingle packages



Apeldoorn 350 x 400

- wall thickness: 45 mm
- wand outside dimension: 350 x 400 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 218 cm
- ridge height: 325 cm
- roof area: 22,00 m², slope 13/22 degrees
- double door: 160 x 186 cm 3/4 glazed
- double glazed window: 120 x 88 cm turn/turn cant, 2x 100 x 40 cm turn
- wall area: 40,2 m², cubic contents: 35,4 m³

You require 9 shingle packages



All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Valencia2 340 x 340

- wall thickness: 45 mm
- wand outside dimension: 340 x 340 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 224 cm, top of the roof: 313 cm
- roof area: 19,00 m², slope 25 degrees
- door: 160 x 186 cm 3/4 glazed
  + window: 2x 50 x 112 fixed
- window: 230 x 112 cm fixed
  + 230 x 112 cm fix/turn cant
- Copper cap (optional)
- wall area: 26,0 m², cubic contents: 30,0 m³

You require 9 shingle packages



Perth 409 x 409 + 100 VD + 70 SD

- wall thickness: 45 mm
- wand outside dimension: 409 x 409 cm (W/D)
- roof overhang: F = 100 cm, H/R = 30 cm, L = 70 cm
- sidewall height: 218 cm, ridge height: 283 cm
- roof area: 29,00 m², slope 18 degrees
- double door: 160 x 186 cm 3/4 glazed
- window: 88 x 88 cm
- side roof: 70 cm, canopy: 100 cm
- wall area: 41,4 m², cubic contents: 41,3 m³

You require 12 shingle packages



Nevis 600 x 400 + 200 VT

- wall thickness: 45 mm
- wand outside dimension: 600 x 400 cm (W/D)
- roof overhang: F = 220 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 231 cm, ridge height: 327 cm
- roof area: 44 m², slope 18 degrees
- double door: 3 x 100 x 186 cm extensively fixed
- double door: 160 x 186 cm extensively (3-cross bars)
- window: 110 x 88 cm, porch: 600 x 200 cm (W/D)
- wall area: 58 m², cubic contents: 100,0 m³

You require 17 shingle packages



Stirling 335 x 460 + 60 VD

- wall thickness: 45 mm
- wand outside dimension: 335 x 460 cm (W/D)
- roof overhang: F = 50 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 218 cm
- ridge height: 271 cm
- roof area: 23,00 m², slope 18 degrees
- double door: 160 x 200 cm half glazed
- window: 88 x 88 cm turn cant
- wall area: 38,2 m², cubic contents: 37,5 m³

You require 9 shingle packages



Our buildings are custom made, individual and good value!

Portland8 500 x 250 + AN

- wall thickness: 45 mm, wand outside dimension: 500 x 250 cm (W/D)
- roof overhang: all around = 25 cm
- wall height f: 258 cm, wall height b: 245 cm
- roof area: 26,00 m², slope 2 degrees
- door: 160 x 200 cm extensively obscure glazed (3x cross bars affixed)
- window: 140 x 98 cm turn/turn cant, 88 x 88 cm turn cant obscure glazed
- wall area: 59,0 m²
- cubic contents: 28,4 m³

Roofing optional with BHB EPDM foil
or by the customer with weld or sheet metal.



Cleveland 900 x 700 incl. veranda

- wall thickness: 70 mm, wand outside dimension: 900 x 700 cm (W/D)
- roof overhang: all around = 50 cm
- sidewall height: 245 cm, ridge height: 388 cm
- roof area: 85,00 m², slope 20 degrees
- double door: 160 x 200 cm 3/4 glazed
- single door: 98 x 200 closed
- window: 2 x 140 x 98 turn/turn cant
- wall area: 115,0 m²
- cubic contents: 196,0 m³

You require 39 shingle packages



All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Arizona 400 x 350 + 200 VT + 130 AN

- wall thickness: 45 mm, wand outside dimension: 400 x 350 cm (W/D)
- roof overhang: F = 220 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 218 cm, ridge height: 283 cm
- roof area: 37,00 m², slope 18 degrees
- segmental-arch door: 160 x 196 cm 3/4 glazed
- segmental-arch window: 88 x 102 cm turn cant, 140 x 102 cm turn/turn cant
- shutters (optional), porch: 400 x 200 cm
- side extension 130 cm with segmental-arch door
- wall area: 50,0 m², cubic contents: 68,2 m³

You require 15 shingle packages



Kansas 400 x 350 + 200 VT

- wall thickness: 45 mm
- wand outside dimension: 400 x 350 cm (W/D)
- roof overhang: F = 220 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 218 cm, ridge height: 283 cm
- roof area: 29,00 m², slope 18 degrees
- double door: 160 x 186 cm 3/4 glazed
- window: 88 x 88 cm turn cant, 70 x 186 cm fixed
- porch: 400 x 200 cm , shutters (optional)
- wall area: 47,0 m², cubic contents: 54,5 m³

You require 12 shingle packages



Hampton 400 x 400 + 70 VD

- wall thickness: 45 mm
- wand outside dimension: 400 x 400 cm (W/D)
- roof overhang: F = 70 cm, B/L/R = 30 cm
- sidewall height: 218 cm, ridge height: 281 cm
- roof area: 25,00 m², slope 18 degrees
- double door: 160 x 200 cm
- window: 2x 98 x 98 cm
- wall area: 39,2 m²
- cubic contents: 39,6 m³

You require 10 shingle packages



Our buildings are custom made, individual and good value!

Portland6 550 x 250 + 300 AN

- wall thickness: 45 mm
- wand outside dimension: 550 x 250 cm (W/D)
- roof overhang: all around = 25 cm
- sidewall height: 245 cm, ridge height: 258 cm
- roof area: 27,50 m², slope 3 degrees
- double door: 1x 160 x 200 cm
  + 1x 98 x 200 cm obscure glazed
- window: 88 x 200 cm solid
- extension 300 x 300 cm, foundation anchors (optional)
- wall area: 54,6 m², cubic contents: 57,5 m³

Roofing optional with BHB EPDM foil
or by the customer with weld or sheet metal.



Falkland 400 x 400 + 200 VT

- wall thickness: 45 mm
- wand outside dimension: 400 x 400 cm (W/D)
- roof overhang: F = 250 cm, B = 30 cm, L/R = 30 cm
- sidewall height: 238 cm, ridge height: 325 cm
- roof area: 34,00 m², slope 24 degrees
- door: 1x 88 x 186 cm 3/4 glazed
- window: 88 x 88 cm turn cant, 120 x 88 cm turn/turn cant
  Terassenfenster: 160 x 105 cm fixed
- wall area: 59,4 m², cubic contents: 67,2 m³

You require 13 shingle packages



Montana 500 x 400 + 150 VD

- wall thickness: 45 mm
- wand outside dimension: 500 x 400 cm (W/D)
- roof overhang:
  F = 150 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 218 cm, ridge height: 298 cm
- roof area: 34,20 m², slope 18 degrees
- double door: 160 x 186 cm 3/4 glazed
- window: 140 x 88 cm turn/turn cant,
  88 x 88 cm turn cant
- shutters (optional)
- wall area: 45,6 m², cubic contents: 51,2 m³

You require 14 shingle packages



Utah 500 x 500

- wall thickness: 58 mm
- wand outside dimension: 500 x 500 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 218 cm, ridge height: 298 cm
- roof area: 33,00 m², slope 18 degrees
- double door: 160 x 186 cm 3/4 glazed
- window: 2x 120 x 112 cm turn/turn cant
- upper finish (cover) of balustrade (optional)
- wall area: 50,0 m², cubic contents: 64,0 m³

You require 13 shingle packages



All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

York 400 x 300 + 280 x 300 SD

- wall thickness: 58 mm
- wand outside dimension: 400 x 300 cm (W/D)
- roof overhang: all around = 30 cm
- wall height f: 258 cm
- wall height b: 231 cm
- roof area: 26,00 m²
- slope 5 degrees
- double door: 160 x 186 cm half glazed
- window: 88 x 88 cm turn cant
- veranda on the side 280 x 300 cm (W/D)
- wall area: 37,7 m², cubic contents: 47,5 m³

You require 10 shingle packages



Cardiff 500 x 300 incl. extension

- wall thickness: 58 mm
- wand outside dimension: 500 x 300 cm (W/D)
- roof overhang: F = 120 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 218 cm, ridge height: 298 cm
- roof area: 26,00 m², slope 18 degrees
- double door: 160 x 186 cm half glazed
- double glazed window: 88 x 88 cm turn cant
- extension on the right 130 cm
  with door 88 x 186 cm (solid)
- wall area: 41,0 m², cubic contents: 38,4 m³

You require 10 shingle packages



Chicago 350 x 300 + SD + VD

- wall thickness: 58 mm, wand outside dimension: 350 x 300 cm (W/D)
- roof overhang: all around = 40 cm
- sidewall height: 242 cm, ridge height: 319 cm
- roof area: 42 m², slope 18 degrees
- folding door: 240 x 200 cm extensively glazed 4 panels
- window: 140 x 98 cm turn/turn cant, 2x 80 x 200 cm turn cant
- veranda: 300 x 394 cm (W/D)
- side roof: L= 90 cm, B= 62,5 cm
- wall area: 33,5 m², cubic contents: 78,5 m³

You require 19 shingle packages



Our buildings are custom made, individual and good value!

58

Liverpool 550 x 400 + 120 VD

- wall thickness: 58 mm
- wand outside dimension: 550 x 400 cm (W/D)
- roof overhang: F = 120 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 218 cm, ridge height: 306 cm
- roof area: 35,00 m², slope 18 degrees
- double door: 160 x 200 cm 3/4 glazed
- inner door: 88 x 186 cm (solid)
- double glazed window: 2x 70 x 200 cm (solid),
  1x 60 x 60 cm turn cant
  2x 88 x 138 cm turn cant, 1x 44 x 138 cm (solid)
- wall area: 48,4 m², cubic contents: 57,2 m³

You require 14 shingle packages



All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Lana 600 x 300 + 70 VD

- wall thickness: 58 mm
- wand outside dimension: 600 x 300 cm (W/D)
- roof overhang: F = 70 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 218 cm, ridge height: 314 cm
- roof area: 27 m², slope 18 degrees
- segmental-arch door: 160 x 196 cm 3/4 glazed
- segmental-arch window:
  3x 140 x 102 cm turn/turn cant
- wall area: 46,8 m², cubic contents: 47,4 m³

You require 11 shingle packages



Bristol 400 x 500 incl. extension

- wall thickness: 58 mm
- wand outside dimension: 400 x 500 cm (W/D)
- roof overhang: F = 150 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 218 cm, ridge height: 282 cm
- roof area: 33,00 m², slope 18 degrees
- segmental-arch door: 88 x 196 cm 3/4 glazed
- segmental-arch window: 2x 88 x 102 cm turn cant
- shutters (optional)
- back extension 400 x 140 cm with 88 x 186 cm solid segment arched door
- wall area: 44,2 m², cubic contents: 49,5 m³

You require 13 shingle packages



Blair Atholl 400 x 400 + 200 VT

- wall thickness: 58 mm, wand outside dimension: 400 x 400 cm (W/D)
- roof overhang: F = 250 cm, B/L/R = 30 cm
- sidewall height: 218 cm
- ridge height: 281 cm
- roof area: 33,00 m², slope 18 degrees
- door: 88 x 186 cm
- window: 150 x 186 cm, 171 x 105 cm, 88 x 88 cm
- porch: 200 cm
- wall area: 48,1 m², cubic contents: 59,5 m³

You require 13 shingle packages



Our buildings are custom made, individual and good value!

Ssshhh! We move in here!

All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Madison 350 x 500 + 400 x 300 AN

- wall thickness: 58 mm
- wand outside dimension: 350 x 500 (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 231 cm, ridge height: 300 cm
- slope 22/25 degrees, roof area: 49 m²
- double door: 160 x 200 cm 3/4 glazed, single door: 98 x 200 cm 3/4 glazed
- window: 98 x 112 cm turn cant
- extension: 300 x 400 cm
- wall area: 56,3 m², cubic contents: 78,5 m³

You require 19 shingle packages



Our buildings are custom made, individual and good value!

Dunblane 404 x 400 + 400 VT + 120 SD

- wall thickness: 94 mm, wand outside dimension: 400 x 404 cm (W/D)
- roof overhang: F = 250 cm, B = 30 cm, L = 30 cm, R = 120 cm
- sidewall height: 233 cm, ridge height: 318 cm
- roof area: 41,00 m², slope 24 degrees, ladder to bedroom
- door: 88 x 186 cm half glazed, Terrace windows: 2x 169 x 90 cm solid
- window: 2x 60 x 50 cm turn cant, 2x 98 x 98 cm turn cant
- shutters (optional)
- wall area: 56,0 m², cubic contents: 95,0 m³

You require 16 shingle packages



Turin 600 x 600 + 400 VT

- wall thickness: 94 mm
- wand outside dimension: 600 x 600 cm (W/D)
- roof overhang: all around = 40 cm
- sidewall height: 233 cm, ridge height: 390 cm
- roof area: 81,00 m², slope 25 degrees
- door: 200 x 200 cm extensively glazed
- french window: 3x 110 x 200 cm turn cant
- window: 1x 80 x 60 cm turn cant
- shutters, internal door: 1x 88 x 200 cm
- wall area: 94,0 m², cubic contents: 182,0 m³

You require 35 shingle packages



Rome 500 x 500

- wall thickness: 94 mm
- wand outside dimension: 500 x 500 cm (W/D)
- roof overhang: all around = 40 cm
- sidewall height: 233 cm, top of the roof: 365 cm
- roof area: 35,00 m², slope 25 degrees
- door: 114 x 200 cm extensively glazed
- french window: 3x 110 x 200 cm turn cant
- shutters (optional)
- wall area: 50,0 m², cubic contents: 72,0 m³

You require 15 shingle packages
(clay tile roofing supplied by the customer!)



All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Penta7 300 x 480

- wall thickness: 45 mm
- wand outside dimension: 300 x 480 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 224 cm, top of the roof: 302 cm
- roof area: 22,00 m², slope 25 degrees
- door: 150 x 200 cm extensively glazed
- window: 3x 98 x 147 cm turn/turn cant 1x 98 x 98 cm turn/turn cant
- brass Georgian bars (optional)
- wall area: 32,3 m², cubic contents: 36,5 m³

You require 10 shingle packages



Penta8 340 x 340

- wall thickness: 33 mm
- wand outside dimension: 340 x 340 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 210 cm, top of the roof: 300 cm
- roof area: 18,00 m², slope 25 degrees
- double door: 150 x 186 cm extensively glazed
- window: 2x 88 x 138 cm turn/turn cant
- segmental blend door and windows
- wall area: 25,7 m², cubic contents: 26,4 m³

You require 9 shingle packages



Penta6 300 x 300

- wall thickness: 33 mm
- wand outside dimension: 300 x 300 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 210 cm, top of the roof: 300 cm
- roof area: 15,00 m², slope 25 degrees
- double door: 150 x 186 cm extensively glazed
- window: 2x 88 x 138 cm turn/turn cant
- segmental blend door and windows
- flowerbox (optional), brass Georgian bars (optional)
- wall area: 22,3 m², cubic contents: 20,0 m³

You require 7 shingle packages



Our buildings are custom made, individual and good value!

Penta4 300 x 300

- wall thickness: 45 mm
- wand outside dimension: 300 x 300 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 210 cm, top of the roof: 290 cm
- roof area: 15,00 m², slope 25 degrees
- double door: 150 x 186 cm half glazed
- window: 2x 98 x 98 cm turn/turn cant
- segmental blend door and windows
- wall area: 22,3 m², cubic contents: 20,0 m³

You require 7 shingle packages



Penta9 350 x 500 incl. 150 AN

- wall thickness: 45 mm
- wand outside dimension: 350 x 500 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 210 cm, top of the roof: 300 cm
- roof area: 26 m², slope 25 degrees
- double door: 150 x 186 cm extensively glazed
- window: 2x 120 x 147 cm turn/turn cant
- back extension 350 x 150 cm with door 88 x 186 solid
- wall area: 32,8 m², cubic contents: 43,2 m³

You require 12 shingle packages



Penta5 400 x 400

- wall thickness: 45 mm, wand outside dimension: 400 x 400 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 210 cm, top of the roof: 310 cm
- roof area: 24,00 m², slope 25 degrees
- double door: 150 x 186 cm extensively glazed
- window: 2x 88 x 138 cm turn/turn cant
- segmental blend door and windows
- flowerbox (optional)
- wall area: 30,7 m², cubic contents: 37,8 m³

You require 11 shingle packages



All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).



Leisure building 582 x 575 + 114 VD

- wall thickness: 70 mm
- wand outside dimension: 582 x 575 cm (W/D)
- roof overhang: F = 114 cm, B = 23 cm, L = 50 cm, R = 25 cm
- sidewall height: 218 cm, ridge height: 335 cm
- roof area: 51,00 m², slope 24 degrees
- door/window: as shown in the drawing
- living area: ca. 33,5 m²
- shutters (optional), brass Georgian bars (optional)
- wall area: 57,6 m², cubic contents: 86,8 m³

You require 20 shingle packages



Leisure building 600 x 900

- wall thickness: 45 mm
- wand outside dimension: 600 x 900 cm (W/D)
- sidewall height: 231 cm
- ridge height: 373 cm
- roof area: 72 m²
- slope 30 degrees
- door/window: as shown in the drawing
- living area: ca. 46 m²
- wall area: 89,4 m², cubic contents: 142,6 m³

You require 28 shingle packages

Our buildings are custom made, individual and good value!

58

Leisure building 500 x 650

- wall thickness: 58 mm
- wand outside dimension: 500 x 650 cm (W/D)
- roof overhang: F = 65 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 245 cm, ridge height: 351 cm
- roof area: 45,00 m², slope 23 degrees
- door/window: as shown in the drawing
- living area: ca. 32,0 m²
- shutters (optional)
- wall area: 63,6 m², cubic contents: 96,2 m³

You require 17 shingle packages

All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Setting standards for more quality of living

Our buildings are custom made, individual and good value!

Leisure building 400 x 700

- wall thickness: 45 mm
- wand outside dimension: 400 x 700 cm (W/D)
- roof overhang: all around = 24 cm
- sidewall height: 300 cm, ridge height: 480 cm
- roof area: 43,00 m², slope 31 degrees
- door/window: as shown in the drawing
- living area: ca. 28,0 m²
- wall area: 77,6 m², cubic contents: 116,2 m³

You require 17 shingle packages



Leisure building 350 x 770 + 250 x 100 AN

- wall thickness: 58 mm
- wand outside dimension: 350 x 770 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 231 cm, ridge height: 296 cm
- roof area: 47,00 m², slope 21 degrees
- door/window: as shown in the drawing
- living area: ca. 30,0 m²
- extension: 250 x 100 cm, shutters (optional)
- wall area: 58,0 m², cubic contents: 77,8 m³

You require 20 shingle packages



All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Leisure building 390 x 600 + 70 VD + 100 AN

- wall thickness: 70 mm
- wand outside dimension: 390 x 600 cm (W/D)
- roof overhang: F = 70 cm, B = 30 cm, L / R = 20 cm
- sidewall height: 318 cm, ridge height: 415 cm
- roof area: 43,00 m², slope 24 degrees
- door/window: as shown in the drawing
- living area: ca. 29,8 m²
- extension: on the left/right 100 x 400 cm with flat roof
- wall area: 66,0 m², cubic contents: 104,0 m³

You require 17 shingle packages



Leisure building 610 x 560

- wall thickness: 70 mm, wand outside dimension: 430 x 560 cm (W/D)
- roof overhang: F = 140 cm, B = 40 cm, L = 40 cm, R = 220 cm
- sidewall height: 245 cm, ridge height: 390 cm
- roof area: 59,00 m², slope 26 degrees
- door/window: as shown in the drawing
- living area: ca. 24,0 m²
- porch: 140 x 610 cm / 180 x 560 cm
- shutters (optional)
- wall area: 70,0 m², cubic contents: 113,0 m³

You require 23 shingle packages



Our buildings are custom made, individual and good value!

Leisure building 600 x 650 + 300 x 350 AN

- wall thickness: 70 mm
- wand outside dimension: 600 x 650 cm (W/D)
- roof overhang: F = 100 cm, B = 40 cm, L / R = 70 cm
- sidewall height: 272 cm, ridge height: 410 cm
- roof area: 72,00 m², slope 26 degrees
- door/window: as shown in the drawing
- living area: ca. 47,0 m²
- extension: 300 x 350 cm (W/D)
- wall area: 101,6 m², cubic contents: 164,5 m³

You require 28 shingle packages





Leisure building 700 x 800 incl. Veranda

- wall thickness: 94 mm
- wand outside dimension: 520 x 800 cm (W/D)
- roof overhang: F = 70 cm, B = 70 cm, L/R = 50 cm
- sidewall height: 286 cm, ridge height: 430 cm
- roof area: 82,00 m², slope 23 degrees
- door/window: as shown in the drawing
- living area: ca. 57,0 m²
- porch: 180 x 800 cm, shutters (optional)
- wall area: 101,5 m², cubic contents: 204,0 m³

You require 32 shingle packages

All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Leisure building 834 x 444 + AN

- wall thickness: 70 mm
- wand outside dimension: 834 x 444 cm (W/D)
- extension wand outside dimension: 344 x 124 cm (W/D)
- roof overhang: all around = 40 cm
- sidewall height: 245 cm, ridge height: 350 cm
- roof area: 64,00 m², slope 32/20 degrees, canopy: 110 cm
- door/window: as shown in the drawing
- living area: ca. 38,0 m²
- wall area: 66,6 m², cubic contents: 138,5 m³

You require 26 shingle packages



Leisure building 582 x 575 + 114 VD

- wall thickness: 58 mm
- wand outside dimension: 582 x 575 cm (W/D)
- roof overhang: F = 114 cm, B = 23 cm, L = 50 cm, R = 25 cm
- sidewall height: 218 cm
- ridge height: 335 cm
- roof area: 51,00 m², slope 24 degrees
- door/window: as shown in the drawing
- living area: ca. 33,5 m²
- wall area: 57,6 m², cubic contents: 86,8 m³

You require 20 shingle packages



Our buildings are custom made, individual and good value!

Living in „natural surroundings“ can be so beautiful!

All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Leisure building 736 x 371

- wall thickness: 45 mm
- wand outside dimension: 736 x 551 cm (W/D)
- roof overhang: F = 100 cm, B / L / R = 30 cm
- sidewall height: 258 cm, ridge height: 348 cm
- roof area: 44,00 m², slope 26 degrees
- door/window: as shown in the drawing
- living area: ca. 32,0 m²
- shutters (optional)
- wall area: 61,2 m², cubic contents: 92,5 m³

You require 19 shingle packages

Please note that the doors and windows on the picture were custom made and are not a standard delivery.

Our buildings are custom made, individual and good value!

Leisure building 350 x 850 + 2x 250 x 100 AN + 190 VT

- wall thickness: 45 mm
- wand outside dimension: 350 x 850 cm (W/D)
- roof overhang: all around: 40 cm
- sidewall height: 245 cm, ridge height: 350 cm
- roof area: 63,00 m², slope 31 degrees
- door/window: as shown in the drawing
- living area: ca. 31,0 m²
- porch: 350 x 190 cm / extension: 2x 250 x 100 cm
- wall area: 121,0 m², cubic contents: 126,0 m³

You require 28 shingle packages



All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).

Garage Premium 400 x 500 + 200 SD

- wall thickness: 45 mm
- wand outside dimension: 400 x 500 cm (W/D)
- roof overhang: F = 120 cm, B = 20 cm, L/R = 30 cm
- sidewall height: 231 cm, ridge height: 295 cm
- roof area: 43,00 m², slope 18 degrees
- gate: 240 x 213 cm half glazed with aluminium threshold ship
- window: 88 x 88 cm turn cant double glazed
- side roof: 200 cm
- wall area: 46,8 m², cubic contents: 70,0 m³

You require 17 shingle packages
(clay tile roofing supplied by the customer!)

Garage Premium 400 x 500, variation 2 with closed door



Our buildings are custom made, individual and good value!

Garage Premium 380 x 550

- wall thickness: 45 mm
- wand outside dimension: 380 x 550 cm (W/D)
- roof overhang: all around = 30 cm
- sidewall height: 231 cm, ridge height: 292 cm
- roof area: 29,00 m², slope 18 degrees
- gate: 240 x 213 cm, door 98 x 200 cm half glazed
- window: 2x 88 x 88 cm turn cant double glazed
- wall area: 47,4 m²
- cubic contents: 55,0 m³

You require 11 shingle packages



Garage Premium 600 x 800 + 130 SD

- wall thickness: 70 mm, wand outside dimension: 600 x 800 cm (W/D)
- roof overhang: F = 100 cm, B = 200 cm, L = 70 cm, R = 130 cm
- sidewall height: 245 cm, ridge height: 340 cm
- roof area: 96,00 m², slope 18 degrees
- gate: 2x 240 x 213 cm solid with aluminium threshold ship
- gate: 160 x 200 cm half glazed
- window: 2x 140 x 98 cm turn/turn cant double glazed
- side roof: 130 x 800 cm, foundation anchors (optional)
- wall area: 78,8 m², cubic contents: 192,0 m³

You require 37 shingle packages
(clay tile roofing supplied by the customer!)



All ground plan dimensions are wall outside dimensions. The drawings in the brochure do not come up with standards. The models on these pages are standard delivered untreated. Some models in this brochure are executed with non-standard accessories (e.g roof).