# LUGARDE




# 'SIMPLY THE BEST'

AFFORDABLE QUALITY PRODUCTS FROM HOLLAND

WWW.LUGARDE.COM

# LUGARDE, FOR MORE THAN 35 YEARS HAS BEEN YOUR FIRST CHOICE FOR ALL-YEAR-ROUND GARDEN PLEASURE



Whether it be a summerhouse, log cabin, garage or veranda, by owning a product from Lugarde you will enjoy many relaxing moments together with your family and friends or you can just relax by yourself in the peace and quiet of your own surroundings.

#### **Custom made at standard prices!**

Lugarde produce everything themselves and because of this we are completely flexible to fulfil all your wishes. You can make modifications to all our standard garden buildings or you can create your own individual design. At Lugarde we are here to make your ideas become reality, and all this at no extra charge. Everything is possible and actually nothing at Lugarde is ever standard.

#### Also available in colour!

For only a small surcharge your summerhouse, log cabin, garage or veranda can now be delivered in colour. You have the choice of 4 different finishes and your garden building will be maintenance free for up to 2 to 5 years (depending on weather conditions).

#### Endless variety in our program.

We also have a very extensive program in 2 different construction systems. The log cabin system is available in wood thicknesses of 44mm and 68mm and the Lugarde designed 3=1 system is available in 28mm and 44mm. The 3=1 system is a unique system, whereby you can slide the wall sections into the corner uprights without having to use any nails or screws. These corner uprights are lined with aluminium on the inside creating a very robust construction. We also offer a very extensive programme of windows and doors. Available in single or double-glazing.

# PRIMA

## Advantages and options

## Advantages

1 Roof finished with metal cap.

2 Ø 250 cm, Ø 300 cm, 300 x 250 cm and 350 x 300 cm fitted

with prefabricated shingle or thatched roof.

**B** Roof calculated to allow for snow load.

4 Roof boards 19 mm thickness tongue and groove.

5 Windows and doors fitted with solid hinges and locks.







6 Single and double glazed windows and doors are fitted with:

- Handy detachable bars (inside and outside)
- Silicone glazing
- Rubber draught excluders
- Ventilation holes
- Single glazing: when necessary fitted with safety glass.

7 Handy adjustable split hinges

with protection covers.

8 Posts fitted with aluminium inner core (extra strong). A Lugarde patented connecting system.

Door fitted with aluminium wear strip to protect the threshold.









## **Explanation of symbols**



Wall thickness

Wall height

Prima 3=1





Thickness of roof boards



Eaves thatch


Brass or chrome plated bulb,


aluminium weathercock or witch



9

## of the Prima Series





## Advantages and options



20 Option of floor consisting of 19 mm floor boards, skirting boards and impregnated intermediate beams.

## Fifth Avenue series / 28 mm and 44 mm

#### Pentagonal summerhouses: Prima Fifth Avenue series.

A series of summerhouses that can be supplied in different sizes, from small (approx. 180 x 180 cm) to large (approx. 420x600 cm). With its popular pentagonal shape, this summerhouse takes up less room in the garden. The roof of the pentagonal summerhouses is delivered in loose parts: rafters, roof boards and shingles. All models in the Prima Fifth Avenue series are also available with a flat roof. See example of a flat roof on page 42.





## Prima Fifth Avenue


#### approx. 180 x 180 cm / 28 mm

This "baby" of the Fifth Avenue series makes a wonderful storage room for, say, garden tools and furniture. Standard design with a single door PJ04. Only windows and doors with a width of 77 cm fit in the Prima Fifth Avenue 180 x 180 cm..

#### Article number

28 mm

PFA01




## Prima Fifth Avenue

## approx. 180 x 180 cm / 28 mm

The same model as pictured above but with a single door PX39.

**Article number** 28 mm

PFA35





All models in the Prima Fifth Avenue series are fitted as standard with windows and doors with real glass, pressure impregnated foundation beams, a choice of chrome or brass metalwork, a metal cap and a choice between a weathercock, witch or a brass or chrome plated bulb. A wooden floor is optional. For the shingled roof you have a choice of 5 colours: green, red, black, brown or blue.

## Prima Fifth Avenue

## approx. 180 x 240 cm / 28 mm

Standard design with 2 fixed windows PJo6 and a single door DDo2. Only doors with a width up to 100 cm. will fit in the Prima Fifth Avenue 180 x 240 cm. The short side is only large enough for windows less than 77 cm. If you want to erect the Fifth Avenue 180 x 240 cm as a mirror image,

you must specify this on your order + indicate whether you want a left-hand or right-handed door (no extra charge).

Article number

28 mm

# ± 1800 mr ±900 mm



PFA07



## Prima Fifth Avenue Original


## approx. 240 x 240 cm / 28 mm and 44 mm

Standard design with 2 top-hung windows PX44 and a single door PX45. Only windows and doors with a maximum width of 100 cm. will fit in the Prima Fifth Avenue 240 x 240 cm.

> PFA02 PFA15

## Article number

28 mm 44 mm







## Fifth Avenue series / 28 mm and 44 mm





## Prima Fifth Avenue Classic


## approx. 240 x 240 cm / 28 mm and 44 mm

Standard design with a double door PE22 and 2 top-hung windows PX44.

#### Article number

28 mm 44 mm







## Prima Fifth Avenue Modern

## approx. 240 x 300 cm / 28 mm and 44 mm

Standard design with 3 fixed windows PJ07 (including ventilation grate) and a double door PE26. The door is delivered as standard with safety glass (4 mm). Only doors with a width up to 100 cm fit in the Prima Fifth Avenue 240 x 300 cm. If you want to erect the Prima Fifth Avenue 240 x 300 cm as a mirror image, you must specify this on your order (NO extra charge).

**Article number** 28 mm PFA09 44 mm PFA18






## Prima Fifth Avenue Classic

## approx. 240 x 300 cm / 28 mm and 44 mm

Standard design with a double door PE22 and 2 casement windows PE21.

## Article number

28 mm 44 mm PFA19 PFA20






## Prima Fifth Avenue De Luxe

approx. 300 x 300 cm / 28 mm and 44 mm

Standard design with a double door PE53 and 2 casement windows PE52 (opening outwards).

## Article number







\* All models in the Prima Fifth Avenue series are also available with a flat roof. See example of a flat roof on page 42.

## FIFTH AVENUE SERIES / 28 MM AND 44 MM









## Prima Fifth Avenue ORIGINAL

#### approx. 300 x 300 cm / 28 mm and 44 mm

Standard design with 2 casement windows PR28 (opening outwards) and a double door PR30. Only doors with a width up to 100 cm fit in the Prima Fifth Avenue 300 x 300 cm.

Article number 28 mm PFA03 44 mm PFA13






## PRIMA FIFTH AVENUE MODERN

## approx. 300 x 300 cm / 28 mm and 44 mm


Standard design with 4 windows PJ07 incl. ventilation grates and a double door PE26. The door is delivered as standard with safety glass 4 mm thick.

Article number

28 mm PFA23 44 mm PFA24



RIMA




## PRIMA FIFTH AVENUE CLASSIC

## approx. 360 x 360 cm / 44 mm

Standard design with 2 casement windows PE23 (opening outwards) and a double door PE24.

## Article number

44 mm PFA04



## Prima Fifth Avenue Modern


## approx. 360 x 360 cm / 44 mm

Standard design with a double door PE45T and 2 casement windows PE44T (opening outwards). Door and windows are fitted with double glazing. Note: the wall and ridge height is 13,5 cm higher than

## Article number

on the Classic.


44 mm PFA25











## FIFTH AVENUE SERIES / 44 MM





+30 cm



## Prima Fifth Avenue Classic without skylight

## approx. 420 x 420 cm / 44 mm

Standard design with 4 tilt and turn windows PE47T with double glazing (opening INWARDS) and a double door PE45T likewise with double glazing. .

Article number without skylight44 mmPFA11

## Prima Fifth Avenue Classic with skylight

## approx. 420 x 420 cm / 44 mm

Standard design with 4 tilt and turn windows PE47T with double glazing (opening INWARDS) and a double door PE45T likewise with double glazing.

#### Article number with skylight

44 mm



-

## Prima Fifth Avenue Modern

PFA10

## approx. 420 x 420 cm / 44 mm

Standard design with 6 windows PJ07T and a double door PE45T. Windows and door are fitted with double glazing.

**Article number** 44 mm

PFA26

## FIFTH AVENUE DUO-SERIES / 28 MM AND 44MM



All Duo models are delivered with an internal wall (eaves height only) as standard, so that the summerhouse can be used as a storage room as well as a place to relax, an internal connecting door can be installed at an extra cost and also a mezzanine floor can be fitted above the smaller room boxing it in and giving you extra storage space (see price list for mezzanine floor m2 cost). You can also share the summerhouse with your neighbours by installing a door and possibly windows on both sides. One possible option is to remove the internal wall completely and have just one large room (see pages 16/17 for more information on how to calculate this option).

All Duo models are delivered with windows and doors fitted with real glass, pressure impregnated foundation beams, a choice of chrome or brass metalwork, a metal cap and a choice between a weathercock, witch or a brass or chrome plated bulb. The roof is delivered in loose parts, such as rafters, roof boards and shingles. A wooden floor is optional. For the shingled roof you have a choice of 5 colours: green, red, black, brown or blue. The storeroom part is also available with an open layout so it can be used as a kind of carport for wood for the stove or for your motorcycle etc. The store room part of the Duo may also come with a small loft enabling you to make the best possible use of the space (available on request at an extra charge). You can also erect the Prima Fifth Avenue Duo models as a MIRROR IMAGE WITHOUT indicating this on your order. Please check how you want the door to open (single doors only) and let us know if you want it to open to the right (NO EXTRA CHARGE). For models measuring 180x240 and 240 x 300 cm you must tell us if you want to build the summerhouse as a mirror image. All Duo models are also available with a flat roof.


## Prima Fifth Avenue Duo

## approx. 240 x 360 cm / 28 mm and 44 mm

Standard design with 2 top-hung windows PR26 and a double door PR30 and a solid door DD01, plus an internal wall. If you

would prefer a different door, you can choose from doors up to 100 cm in width..

Article number 28 mm PFA05 44 mm PFA27





## Fifth Avenue Duo-series / 28 mm and 44 mm









## Prima Fifth Avenue Duo Maxi

## approx. 300 x 480 cm / 28 mm and 44 mm

Standard design with 2 casement windows PE21 (opening outwards), a double door PE22 and a solid single door DD01, plus an internal wall.

#### Article number

28 mm 44 mm PFA06 PFA14



## Prima Fifth Avenue Duo Maxi XL Classic

## approx. 360 x 540 cm / 44 mm

Standard design with a double door PE28T, 2 casement windows PE27T (windows and door are fitted with double glazing) and a solid door DD01H. Plus an internal wall.

## Article number

44 mm


PFA28


Duo Maxi

Duo Maxi XL Classic

Duo Maxi XL Orginal

Duo Mega Maxi







## Prima Fifth Avenue Duo Maxi XL Original


## approx. 360 x 540 cm / 44 mm

Standard design with 2 casement windows PE44T (opening outwards), a double door PE45T and a single door PE46T. All windows and doors are fitted with double glazing. Includes an internal wall.

## Article number

44 mm

PFA08



## Prima Fifth Avenue Duo Mega Maxi


## approx. 420 x 600 cm / 44 mm


Standard design with 2 double tilt and turn windows PE48T (opening inwards), a double door PE45T and a single door PE46T, plus an internal wall. Windows and doors are fitted with double glazing.

Article number

44 mm

PFA12









27

PRIMA

## SPECIFICATIONS AND OTHER INFOMATION

Premium quality northern European pine is the foundation of all Lugarde summerhouses, log cabins and verandas. In these countries there are strict government regulations in place to ensure that more trees are planted than are chopped down, so that the ecological balance is maintained. Lugarde guarantees that it makes a point of choosing high-quality raw materials and accessories, delivered with expert treatment and handling. Lugarde allows the wood to dry to a moisture content of approx. 12-14% (kiln dried) to prevent the wood from warping as much as possible. All summerhouses and log cabins have been or will be calculated statically.

#### PRIMA 3=1 SYSTEM SUMMERHOUSES

The walls of the Prima 3=1 system involve a technique, developed by Lugarde, whereby the milled wall sections slot perfectly into the corresponding corner uprights. The corner uprights are fitted on the inside with slide-in aluminium strips, a system that greatly enhances the strength and durability of the summerhouse (no matter what the weather). The Prima 3=1 system is an extremely stable construction that is easy to assemble. The walls are put together without nails or screws, allowing for any warping of the wood (see example of Prima 3=1 system at the front of the brochure).

## LOG CABINS

The log cabin system is also a stack wood construction but with chalet milling in the corners, see example on page 57. The log cabins come in a wood thickness of 44 mm but can also be delivered in a wood thickness of 68 mm. Because Lugarde is responsible for all aspects of production, dimensions can be flexible to suit customers' needs. For further information see pages 54 and 55.

## Insulating roof and/or floor

Depending on what you want to use your summerhouse or log cabin for, you can also have it fitted with roof and/or floor insulation. For a garden shed this is usually not necessary, but if you want your log cabin or summerhouse to serve as a guestroom or office, for example, then insulation is advisable. Floor insulation with a thickness of 4 cm is simple to apply and therefore relatively cheap because the insulation is laid beneath the wooden floor. The roof insulation consists of insulation plates (likewise 4 cm thick), which are installed between the shingles and the roof boards using long clout head nails (included). Other insulation options include double-glazed windows and doors. See page on windows and doors, plus our price list.

#### WINDOWS AND DOORS

Lugarde has a very extensive range of windows and doors: with and without cross-bars, with single glazing or double glazing, with safety glass, with lead strips, casement windows, top-hung windows, tilt and turn windows, fixed windows, windows with ventilation grates and folding doors. The double frame cross-bars for single & double glazed windows and doors are supplied for both outside and inside and are easy to remove. This is a very useful feature should you want to change the design of your summerhouse/log cabin or if you need to clean or paint the windows/doors.

## If you opt for different windows and doors

If you want different types of windows/doors, then simply substitute the windows/doors you require to your chosen design and add or subtract the difference in costs (See price lists Windows/Doors). All single doors are LEFT-handed as standard; if you want a right-handed door, you must specify this on your order (no extra charge). For double doors, the RIGHT door is the master door.

## **RAISING WALL HEIGHT**

It may sometimes be necessary to raise the height of the walls if, for example, you opt for double glazing or want to interlink various summerhouses or log cabins or if you opt for an attic in a log cabin. Please refer to our price list. E.g. a log cabin measuring 300 x 300 cm: raising by 1 wall section = 12 running metres at ..... per m1.

## WINDOW SHUTTERS

The window shutters can be used on (almost) all windows, see photo on page 62 and the price list. Make sure the space next to the window is at least half the width of the window.

#### **D**ELIVERY ALWAYS ROADSIDE

All products from Lugarde are ALWAYS delivered roadside.

## **PACKING/KIT INSPECTION**

All Lugarde products are packed in environmentally-friendly film that you may be able to re-use. We recommend that you inspect the contents of the kit within 8 days of receipt using the enclosed parts list, and notify your dealer or Lugarde immediately in the unlikely event that anything is missing or damaged.

## KIT BAG

The kit bag holds the construction drawing, list of materials, assembly instructions, logbook and all the fastenings. If the construction drawing and/or assembly instructions are missing, call us or download them from our website.



## Logbook

When your summerhouse or log cabin is delivered you will receive a logbook (in the kit bag) containing numerous tips and space for notes, e.g., purchase date, wood treatment, colour numbers, paint, dealer's name, type of summerhouse, order number, etc. etc.

## **G**IFT VOUCHER

We always enjoy receiving feedback and photos from our customers' summerhouses or log cabins, and if your photo can be used in our next brochure you will receive a gift voucher worth 85 pounds.

#### WARRANTY AND COMPLAINTS PROCEDURE

Lugarde grants a 5-year warranty on manufacturing or construction faults; damage caused by humans, animals or natural disasters does NOT fall under the warranty. Complaints as a result of a poorly laid foundation or faulty assembly, poor maintenance and/or the wrong maintenance materials do NOT fall under the warranty (see also maintenance).

#### Assembly

Lugarde has a list of select independent assembly companies that can assemble your summerhouse/log cabin for an extra charge and can also lay foundations or carry out any other necessary additional work. For further information, please contact the assembly company yourself. **TIP**! Please ensure that there is sufficient clearance (work space) around the summerhouse to facilitate assembly work and (re) treatment of the wood, amongst other things.

#### **P**REPARING THE FOUNDATIONS

All summerhouses/log cabins are delivered inclusive of pressure impregnated foundation beams. Any wooden flooring is also supplied with pressure impregnated floor joists. The laying of perfectly level foundations is the most important part of the preparation work for siting a summerhouse or log cabin. If the foundation is not laid correctly problems can occur later, for example, windows and doors may not function correctly and gaps may appear in the wall sections. Depending on the subsoil, remove earth to a depth of around 20 cm, fill in the hole with yellow sand, then compact and vibrate the entire area. Next lay a floor of tiles or concrete slabs – once again the most important thing is to ensure that the entire area is perfectly level. The floor must always be above ground level, and we recommend putting a layer of gravel all the way round the summerhouse to protect it from splashing (rain) water, in case of doubts or queries about the subsoil, you can always call your dealer or Lugarde – please also refer to our logbook.

## **B**UILDING PERMIT

For a summerhouse or log cabin, you are in many cases required to apply for a building permit or you may have a duty to report it. Please contact your local authority for further information or ask your dealer.

#### **TREATMENT AND MAINTENANCE**

All summerhouses and log cabins are delivered untreated as standard. We have no control over the elements. Wind, rain and sun have free rein. To provide optimum protection for your summerhouse, log cabin or veranda against the effects of the weather, you must treat the wood as quickly as possible – internally and externally. We recommend treating the wood first of all with impregnating agent after assembly. Then you can treat the summerhouse with non-transparent or transparent dye stain, e.g. from Lugarde. Combining impregnating agent with dye stain provides the best results. Lugarde has developed an excellent system for this purpose together with a well-known paint manufacturer – a system that focuses on quality and care for the environment.

## ARRANGE TO HAVE YOUR SCABIN/SUMMERHOUSE/VERANDA IMPREGNATED WITH A CHOICE BETWEEN 4 COLOURS!

You can also have your summerhouse or log cabin impregnated by Lugarde – this is done with a plunge method. First the wood will be pre-treated and then it will be treated with the colour of your choice. The wood is then optimally protected for 2-5 years (depending on weather Conditions). There is then no need to use impregnating agent (see sample colours on pages 80 and 81. Retreating can be done with the same stain or a different colour stain/paint. For information on the extra charges relating to impregnating, please refer to our price list.

#### **C**ONFIRMATION OF ORDER TO DEALER

Once Lugarde has sent the dealer written confirmation of the order (normally within 1 week of the order being placed) it cannot be amended free of charge and will be subject to an alteration fee of 50 pounds. Charges will also be made for any order for a summerhouse or log cabin that is cancelled when the order is ready for dispatch.

## **C**ALCULATING THE COST OF A LOG CABIN/SUMMERHOUSE/VERANDA YOURSELF


We have put together a chart in the price lists (matrix) to allow you to work out the cost of the summerhouse, log cabin or veranda yourself. Matrix maximum up to 600 cm. Prices for larger log cabins, summerhouses or veranda's are available on request – you can ask for a draft sketch and a quotation. By arrangement, our design department will prepare a design drawing at a cost of 100 pounds; this amount will be refunded to you as soon as the log cabin/summerhouse/veranda has been delivered.

Of course, you can always call, fax or e-mail your dealer or Lugarde for advice. Telephone ++31 (0) 573 401800; fax ++31 (0) 573 401880; or e-mail: sales@lugarde.nl


Models of summerhouses, log cabins and verandas, building systems, construction drawings, photos and/or text in this brochure or on our website must not be borrowed, reproduced or used in any way whatsoever, either in part or in full, without written consent from Lugarde.

Prices, models and materials are subject to change. We accept no liability for printing errors. Lugarde <sup>®</sup> and the Prima 3=1 system are registered trade marks. The Prima 3=1 system is the property of Lugarde <sup>®</sup> / Wuestman B.V. Patent pending EP1 387 912 Brochure issue 2011/2012


## Non-transparent stain



234 Antique white



302 Cream




326 Summer yellow



447 Fresco yellow




363 Yellow ochre



254 Ice blue



## 129 Old blue




238 Antique blue





13 Burgundy




509 Mellow green



506 Old green





## 235 Antique green



352 Window grey

#### Tip:

Order the paint at the same time as the building, as this will save you shipping costs later.

#### **Transparent stain**





232 Oak



213 Teak



218 Eco-green



Impregnating agent

## (colours may vary)





MG=opal glass. T = thermopane, T-doors standard height 1935 mm. Standard height for single glazing doors is 1800 mm, excluding ph20, ph25, pe50, dd03, mg01, mg02 and all doors with 3 or 4 shutters. All measurements shown are clear opening width.

## Lugarde<sup>®</sup> Laren Holland

- **T** +31 (0)573 401 800
- **F** +31 (0)573 401 880
- I www.lugarde.com
- E sales@lugarde.nl





OFFICIAL LUGARDE® DEALER:

© 2011 Lugarde®