

**CONCLUSION**

*That was the conducted tour of Gardival® gardens.*

*A complete range to make your very own garden design possible.*

*We are pleased that you have found what you wanted among our products and look forward to helping you with your garden construction.*

*If you have any ideas or comments, suggestions for improvements or new products, we'd like to hear from you. Please contact your salesperson. We consider all suggestions, so maybe you will find some of your dreams in the next Gardival® brochure.*

**THANK YOU FOR CHOOSING GARDIVAL®**

*Your Gardival® team.*

**Do you need a building permit to install a Gardival® structure?**

Do you need to work with an architect? The question of permits varies from lot to lot, district to district and province to province. Contact your local authority for details.

Does an architect have to arrange this? This too varies from region to region. Your local council or chapter of architects can certainly tell you more.

**Can you install your timber building/ garage or carport yourself?**

A small building is no problem for one person. An assistant is not a luxury if you are installing a larger building, garage or carport. The handy installation manuals are very complete and clear. Attention to detail, some manual skills and a serving of patience are the keys to success when constructing your Gardival® dream.

The important thing during installation is to make sure your first board passes the diagonal test. Only if the lengths of both diagonals are identical will you have perfect right angles and be able to proceed with the installation. A good start is half the battle!

**What base is best for your building or garage?**

If you locate your building/garage on a concrete slab, you can anchor the walls with the standard concrete footings. If you do not want a deck front and rear, we recommend a small level difference in the base if order to stop water infiltration.

However, we advise sitting your building on a watertight membrane between the ground and the building itself. This should be inside and outside.

If you choose a building with a floor, it is best to locate it in a solid, stable place to avoid it sinking into the ground. You can locate the floor on a concrete slab, concrete tiles or solid ground.

**How do you determine the height of your carport with storage?**

The height of the carport is governed by the height of the storage. You should erect your storage before starting on the carport. It goes without saying that the dimensions of your car will decide the height of your carport.

**Does untreated wood need protection?**

Yes. Our harsh climate requires good protection for untreated wood. You can colour it using oils or paint in the colour of your choice. Your local paint specialist can help you to choose a suitable product. You can also buy a number of protective products from the Gardival® range.

**Should pressure-treated wood be protected?**

Pressure treatment provides complete protection against the weather, mould and rot. Don't forget that we work with a natural product, and that discolouration and cracks can occur under the effect of changing weather conditions, although this has no influence on the quality of the product. You can apply special oils if you want to maintain the finish and colour of the wood. These products are also available from Gardival®.

**Do you know that tailor-made products are no problem for Gardival®? Contact your local dealer to find a solution to your requirements and questions.**



**May we have your attention?**

*Make sure you read the manual before installing products. The illustrations in this brochure may differ from the standard design.*

*The options mentioned are available at additional cost. The choice of roof cladding determines the exact dimensions of the eaves over the front, rear and side walls.*

*We reserve the right to change product specifications at any time.*

*The colours of the products may vary. We assume no responsibility for printing errors.*

*No part of this brochure may be reproduced without the written permission of the copyright holder. This brochure is not a contractual document.*

*V.U.: Valcke & Zoon NV (Belgium)*





# Gardival®-garden timber & Robby® outdoor equipment



**A complete range of wooden items  
for your terrace,  
garden and play area.**



## Gardival® leisure buildings



*Ask for your Gardival® garden timber,  
Robby® outdoor equipment and  
Gardival® leisure buildings catalogue  
from your nearest sales outlet.*



## Options

	Vintage line	Classic line	Prestige line	Comfort line	Modern line	Visto line	Verona line	Versailles line	Mono line	Firenze line
16 mm boards	-	-	-	-	●	-	-	-	-	●
Ridge capping with brass ball	-	-	-	-	-	-	-	●	-	-
Opening windows	-	●	-	-	●	●	-	●	●	-
Guttering ø 12 cm	●	●	●	●	-	●	-	-	●	-
Side lean-to	-	●	-	●	-	●	-	-	-	-
Flower box	●	●	●	-	●	●	-	●	●	-
Deck with handrail	●	●	-	-	-	-	-	-	-	-
Front roof overhang ±80 cm	-	●	-	-	-	-	-	-	-	-
Deck flooring, handrail	-	●	-	-	-	-	-	-	-	-
Pressure-treatment	-	●	-	●	●	●	-	-	●	-
Chamfered wall corners	-	●	●	-	●	●	-	-	●	-
Raised plank by plank	-	●	●	●	●	●	●	-	●	-
Matching door, windows and shutters	-	●	●	●	●	●	●	-	●	-
Additional doors, windows and shutters	-	●	●	●	●	●	●	-	●	-
Adjust side wall per running metre	-	●	●	●	●	●	-	-	●	-

	Classic line	Mono line	Modern line	Mono line & Classic line	Modern line	Firenze line	Horse stables
				Carport Storage	Carport Storage	Carport Storage	
Front roof overhang ±80 cm	●	-	-	-	-	-	-
Guttering ø 12 cm	●	●	-	-	-	-	●
Flower box	●	●	●	-	●	-	-
Side roof 80 cm or 145 cm	●	-	-	-	-	-	-
Extending side wall per running metre	●	●	●	-	●	-	-
Pressure-treatment	●	●	●	-	-	-	-
Chamfered wall boards	●	●	●	-	●	-	●
Raising the walls per board	●	●	●	-	●	-	●
Various doors, windows and shutters	●	●	●	-	●	-	-
Additional doors, windows and shutters	●	●	●	-	●	-	-
Various types of garage doors	●	●	●	-	-	-	-
16 mm boards	-	-	●	-	●	-	-
Extra posts	-	-	-	●	●	●	-
Longer posts	-	-	-	●	●	●	-
Concrete footing	-	-	-	●	●	●	-
Post footings	-	-	-	●	●	●	-
Adjust side wall per 2 m module	-	-	-	●	●	●	-
Floor 16 mm	-	-	-	-	●	-	-